

Dipropylene Glycol Monoethyl Ether (DPE)

Product No. D004
CAS No. 15764-24-6
Molecular formula $\text{CH}_3\text{CH}_2\text{OCH}_2\text{CH}_2\text{CH}_2\text{OCH}_2\text{CH}_2\text{CH}_2\text{OH}$
Other name 1-(2-ethoxy-2-methylethoxy)-2-propanol, DPE

Specifications

Appearance	Colorless transparent liquid
Assay $\geq\%$	90.0
Water $\leq\%$	0.1
Distillation Range (760mmHg°C)	180.0-215.0
Propylene glycol $\leq\%$	10.0
Color(Pt-Co) \leq	15

Application: Be suitable for benzene propylene emulsion, propylene alkenes acid emulsion and its emulsion paint, which are characterized by reducing the coating temperature, speeding its cohesion and keeping the coating in a good condition. Also can be used as solvent for electrophoresis paints and some other high grade ones. Besides the above mentioned application, they also can be used as anti-ice liquid for fuel, detergent, extractives, soft printing ink, silk printing ink, and mineral separating agent for nonferrous metals as well as material for organic compose etc.

Packing: Coated steel drum (190 or 200kg/drum)
ISO tank (20MT)

Handling: Please download MSDS and print as many as needed for handling instruction.

Contact us:**Luke Verdet**

Director - North America Marketing

Tel & Voice mail: 1.914.965.2077 / Fax: 1.914.375.2093

Email: luke.verdet@dynamicna.com / verdet@aol.com

Jim Ye

Director - Business Development

Tel & Voice mail: 1.914.613.3386 / Fax: 1.914.375.2093

Email: jim.ye@dynamicna.com / jimzye@gmail.com