

Material Safety Data Sheet

Date Created: 03/07/2009

Date Updated: 02/06/2010

Version: 1.0

Section 1 - Product And Company Information

Product Propylene Glycol Monomethyl Ether Propionate (PMP)
Product No D007
Company Dynamic N.A. Inc
Address 23 Captains Walk, Milford, CT 06460, U.S.A.
Phone 1 914 965 2077
Fax 1 914 375 2093

Section 2 - Composition/Information On Ingredients

Synonyms 1-Methoxy-2-propanol propanoate; PMP
CAS # 148462-57-1
Formula C₇H₁₄O₃

Section 3 - Hazards Identification

HAZARDS TO HUMANS AND THE ENVIRONMENT

Hazards – Irritation, flammable, Combustible

Target Organs - kidney and liver

HMIS (USA)

Health Hazard: 2

Fire: 2

Reactivity Hazard: 0

Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Skin May be harmful if absorbed through skin. Causes skin irritation. Eyes Causes eye irritation. Ingestion May be harmful if swallowed.

Section 4 - First Aid Measures

INHALATION - Breathed in - remove from into safe area and fresh air. Consult a physician.

SKIN - Wash with soap and rinse with water. Consult a physician.

EYE - Flush eyes with shower of water as a precaution.

INGESTION – Having plenty of water, do not induce vomiting. Rinse mouth with water. Call a physician.

Section 5 - Fire Fighting Measures

FLAMMABLE INFORMATION

FLASH POINT 45°C (113 °F) - closed cup

EXPLOSION LIMITS Lower: 1.3% Upper 13.1%

IGNITION TEMPERATURE 354°C

EXPLOSION HAZARDS

Vapors may form explosive mixture with air. Vapor travel in distance and may flash back from ignition source.

EXTINGUISHING MATERIALS

Use foam, dry chemical, carbon dioxide, nitrogen oxides, smoke, part oxidized hydrocarbon fragments.

Cool and dilute with water and water fog.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Wear self contained breathing apparatus for fire fighting.

FURTHER PROCEDURE

Use water spray to cool containers.

Section 6 - Accidental Release Measures

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Avoid breathing vapors, mist or gas. Remove all sources of ignition. Beware of vapors accumulating to form explosive concentrations.

ENVIRONMENTAL PRECAUTIONS

Absorb with earth, sand and other non-flammable material.

CLEANING UP METHODS

Contain and transfer to proper containers for recover or disposal. Flushing the contaminated area with water. Do not let contaminated water enter open water system!

Material Safety Data Sheet

Date Created: 03/07/2009

Date Updated: 02/06/2010

Version: 1.0

Section 7 - Handling and Storage

HANDLING

Avoid inhalation of vapor or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

STORAGE

Keep tightly closed. Store in cool, dry and well ventilated place. Avoid direct sunlight exposure.

Section 8 - Exposure Controls / Personal Protection

MANUFACTURER RECOMMENDATION

30ppm / 8 hours TWA, and 90ppm 15 minutes STEL

ENGINEERING CONTROLS

Safety shower and eye bath. Mechanical ventilation required.

GENERAL HYGIENE MEASURES

Wash thoroughly after handling.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Use respirators and components tested and approved under appropriate government standards FULL FACE respirator supplied air respirator..

Hand Protection: Protective gloves.

Eye Protection: Chemical safety goggles.

Section 9 - Physical And Chemical Properties

Appearance	Colorless, liquid, clear
Molecular Weight:	132.16 g/mol
Optical Rotation:	N/A
pH	Neutral
BP/BP Range	145 - 146 °C (293 - 294 °F) at 1,013 hPa (760 mmHg)
Flash point	43 °C (109 °F) - closed cup
Ignition Temp	354 °C (669 °F)
Lower explosion limit	1.3% (V)
Upper explosion limit	13.1 % (V)
Vapor pressure	3.7 mmHg at 20 °C (68 °F)
Density	0.968 g/cm ³
Water solubility	completely miscible

Section 10 - Stability and Reactivity

STABILITY

STABILITY

Stable under recommended storage conditions. May form peroxides on prolonged storage. Date container and periodically test for peroxides.

CONDITIONS TO AVOID: Heat, flames and sparks. Static discharge.

MATERIALS TO AVOID: Strong oxidizing agents

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide.

HAZARDOUS POLYMERIZATION: N/A

Section 11 - Toxicological Information

ACUTE TOXICITY

LD50 Oral - Rat - 8532 mg/kg

LC50 Intraperitoneal - mouse - 750 mg/kg

LD50 skin - rabbit - 5000 mg/kg

Signs and Symptoms of Exposure: N/A

POTENTIAL HEALTH EFFECTS

Inhalation: May be harmful if inhaled. Causes respiratory tract irritation.

Material Safety Data Sheet

Date Created: 03/07/2009
Date Updated: 02/06/2010
Version: 1.0

Skin May be harmful if absorbed through skin. Causes skin irritation.

Eyes: Causes eye irritation.

Ingestion: May be harmful if swallowed.

Target: Organs Liver, Kidney

Section 12 - Ecological Information

MOBILITY KOC 0-50
DEGRADATION Slow degradable in nature.

Section 13 - Disposal Considerations

SUBSTANCE DISPOSAL

MATERIAL - Incinerator as recommended. Follow all federal, state, and local environmental regulations.
Contaminated packaging – Do not remove the labels from containers before cleaning. Dispose the container with care.

Section 14 - Transport Information

DOT (US) ground: Not regulated as 49 CFR 173.150(f)(2)
UN-Number: 3271
UN Class: 3
UN Packing group: III
HAZARD LABEL: Flammable
Proper shipping name: Propylene Glycol Monomethyl Ether Acetate

Section 15 - Regulatory Information

SYMBOL: Xi – R: 10-36 – Risk: Flammable, Irritant – S 25.

OSHA HAZARDS

Flammable Liquid, Target Organ Effect, Irritant

TSCA STATUS

On TSCA Inventory

DSL STATUS

All components of this product are on the Canadian DSL list.

SARA 302 COMPONENTS

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 COMPONENTS

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 HAZARDS

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

MASSACHUSETTS RIGHT TO KNOW COMPONENTS

Monopropylene glycol methyl ether acetate, CAS-No. 108-65-6. Revision Date 1989-12-01

PENNSYLVANIA RIGHT TO KNOW COMPONENTS

Monopropylene glycol methyl ether acetate, CAS-No. 108-65-6. Revision Date 1989-12-01

NEW JERSEY RIGHT TO KNOW COMPONENTS

Monopropylene glycol methyl ether acetate, CAS-No. 108-65-6. Revision Date 1989-12-01

CALIFORNIA PROP. 65 COMPONENTS

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects.

Section 16 - Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.