

Material Safety Data Sheet

Date Created: 03/07/2009

Date Updated: 02/06/2010

Version: 1.0

Section 1 - Product And Company Information

Product	Ethylene Glycol Monobutyl Ether Acetate (BAC)
Product No	D025
Company	Dynamic N.A. Inc
Address	23 Captains Walk, Milford, CT 06460, U.S.A.
Phone	1 914 965 2077
Fax	1 914 375 2093

Section 2 - Composition/Information On Ingredients

Synonyms	2-Butoxyethyl acetate, 1-Acetoxy-2-butoxyethane
CAS #	112-07-2
Formula	C ₈ H ₁₆ O ₃

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

OSHA Hazards: Combustible Liquid, Target Organ Effect, Harmful by skin absorption., Carcinogen
Target Organs: Blood, Kidney, Female reproductive system., Male reproductive system.

GHS Label elements, including precautionary statements

Signal word: Warning

Hazard statement(s):

H227	Combustible liquid
H303	May be harmful if swallowed.
H312 + H332	Harmful in contact with skin or if inhaled.
H320	Causes eye irritation.

Precautionary statement(s)

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P322	Specific measures (see supplemental first aid instructions on this label).
P337 + P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to an approved waste disposal plant.

HMIS CLASSIFICATION

Health hazard1

Chronic Health Hazard: *

Flammability: 2

Physical hazards: 0

NFPA RATING

Health hazard: 1

Fire: 2

Reactivity Hazard: 0

POTENTIAL HEALTH EFFECTS

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.

Skin: May be harmful if absorbed through skin. May cause skin irritation.

Eyes: May cause eye irritation.

Ingestion: May be harmful if swallowed.

Material Safety Data Sheet

Date Created: 03/07/2009

Date Updated: 02/06/2010

Version: 1.0

Section 4 - First Aid Measures

GENERAL ADVICE

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

IF INHALED

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

IN CASE OF SKIN CONTACT

Wash off with soap and plenty of water. Consult a physician.

IN CASE OF EYE CONTACT

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

IF SWALLOWED

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Section 5 - Fire Fighting Measures

SUITABLE EXTINGUISHING MEDIA

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Wear self contained breathing apparatus for fire fighting if necessary.

Section 6 - Accidental Release Measures

PERSONAL PRECAUTIONS

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

ENVIRONMENTAL PRECAUTIONS

Do not let product enter drains.

METHODS FOR CLEANING UP

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Section 7 - Handling and Storage

HANDLING

Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

STORAGE

Keep container tightly closed in a dry and well-ventilated place.

Section 8 - Exposure Controls / Personal Protection

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

HAND PROTECTION

Handle with gloves.

EYE PROTECTION

Face shield and safety glasses

SKIN AND BODY PROTECTION

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

HYGIENE MEASURES

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Material Safety Data Sheet

Date Created: 03/07/2009

Date Updated: 02/06/2010

Version: 1.0

Section 9 - Physical And Chemical Properties

Appearance	Colorless clear liquid
Molecular Weight:	160.21 g/mol
pH	n/a
Melting point	n/a
Boiling point	192 °C (378 °F) - lit.
Flash point	76 °C (169 °F) - closed cup
Ignition temperature	340 °C (644 °F)
Lower explosion limit	0.88 %(V)
Upper explosion limit	8.54 %(V)
Vapour pressure	0.39 hPa (0.29 mmHg) at 20 °C (68 °F)
Density	0.942 g/cm ³ at 25 °C (77 °F)
Water solubility	n/a
Relative vapour Density	5.53 - (Air = 1.0)

Section 10 - Stability and Reactivity

CHEMICAL STABILITY

Stable under recommended storage conditions.

CONDITIONS TO AVOID

n/a

MATERIALS TO AVOID

Strong oxidizing agents, Strong bases

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Section 11 - Toxicological Information

ACUTE TOXICITY

LD50 Oral - rat - 2,400 mg/kg

Remarks: Kidney, Ureter, Bladder:Hematuria. Kidney, Ureter, Bladder:Other changes in urine composition.

LD50 Dermal - rabbit - 1,500 mg/kg

Remarks: Kidney, Ureter, Bladder:Hematuria. Kidney, Ureter, Bladder:Other changes in urine composition.

Blood:Normocytic anemia.

SKIN CORROSION/IRRITATION

Serious eye damage/eye irritation

Eyes - rabbit - Mild eye irritation - 24 h

RESPIRATORY OR SKIN SENSITIZATION

n/a

GERM CELL MUTAGENICITY

n/a

CARCINOGENICITY

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

POTENTIAL HEALTH EFFECTS

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.

Skin: May be harmful if absorbed through skin. May cause skin irritation.

Eyes: May cause eye irritation.

Ingestion: May be harmful if swallowed.

ADDITIONAL INFORMATION

RTECS: KJ8925000

Material Safety Data Sheet

Date Created: 03/07/2009

Date Updated: 02/06/2010

Version: 1.0

Section 12 - Ecological Information

n/a

Section 13 - Disposal Considerations

PRODUCT

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber.

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

CONTAMINATED PACKAGING

Dispose of as unused product.

Section 14 - Transport Information

DOT (US)

UN-Number: 1993

Class: CBL

Packing group: III

Proper shipping name: Combustible liquid, n.o.s. (Butylglycol acetate).

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

Not dangerous goods

IATA

Not dangerous goods

Section 15 - Regulatory Information

OSHA HAZARDS

Combustible Liquid, Target Organ Effect, Harmful by skin absorption., Carcinogen

DSL STATUS

All components of this product are on the Canadian DSL list.

SARA 302 COMPONENTS

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Butylglycol acetate

CAS-No.:112-07-2

Revision Date: 2007-03-01

SARA 311/312 HAZARDS

Fire Hazard, Chronic Health Hazard

Section 16 - Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.